







DATAR | OMAN | IRAD | SAUDI | UAE | RUSSIA | AFRICA | INDIA | MALDIVES

www.eurobuild.ae



DATAR | OMAN | IRAO | SAUDI | UAE | RUSSIA | AFRICA | INDIA | MALDIVES

www.eurobuild.ae

Partner..!





EUROCOAT RE 2000 Cold Applied Bitumen Emulsion

Recommended for Waterproofing of concrete, asbestos, foundation, masonry block works, ground floor slabs, basements, bathrooms, toilets, roof slabs, for underground structures, retaining walls, bridge abutments etc. Packing- 15,20 & 200 litre





EUROPROOF WB 403

Water Base Bitumen Emulsion - Commercial

Recommended for Waterproofing of concrete, asbestos, foundation, masonry block works, ground floor slabs, basements, bathrooms, toilets, roof slabs, for underground structures, retaining walls, bridge abutments etc.









EUROPROOF RBE 404

Reinforced Rubberised Bitumen - 10%

EuroProof RBE 404 with high content Styrene Butadiene Rubber (SBS) Reinforced, fiber based rubberised Bitumen Recommended for Water proofing of concrete, asbestos, foundation, masonry block works, ground floor slabs, basements, bathrooms, toilets, roof slabs, for underground structures, retaining walls, bridge abutments etc... Packing- 20 litre and 200 litre





EUROPROOF SBS 2000-430

SBS Modified Bituminous Membrane

EuroProof SBS 2000 - Polypropylene surfaced SBS Modified Bitumen for Waterproofing & Protection Membrane, Packing-Roll



EuroProof APP 3000 - Plastomeric Waterproof membrane (Atactic Poly Propylene) for Waterproofing & Protection.



EUROPROOF RBA 454

Reinforced Rubberised Bitumen - 5%

EuroProof RBA 454 is Styrene Butadiene Rubber (SBS) Reinforced, fiber based rubberised Bitumen Recommended for Waterproofing of concrete, asbestos, foundation, masonry block works, ground floor slabs, basements, bathrooms, toilets, roof slabs, for underground structures, retaining walls, bridge abutments etc... Packing- 20 litre and 200 litre









EUROCELL CCP 428

Closed Cell Polyethylene Compressible Joint Filler Board

EuroCell CCP 428 is a compressible polyethylene semi rigid board for expansion joints.

Packing- 1.2 x 2.2 Mtr Sheet Size –all size available



EUROBOARD BI 413

Bitumen Impregnated Fibre Board (Flexcell Sheet)

EuroBoard BI 413 is a compressible bitumen impregnated fibre board for expansion joints. The impregnated softboard is made from bitumen, fibres and proprietary materials, mechanically reduced to fibres which are then pressed to form a continuous sheet. Packing- 1.2 x 2.2 Mtr

Size -all size available





EUROSTOP PVC 409 PVC Water Stoper (ICJ, IEJ, ECJ, EEJ)

EuroStop PVC 409 water stops are high grade virgin polyvinyl chloride (PVC). Internal and External PVC Water stop system for passive protection of expansion, contraction and construction joints in reinforced concrete structures. Packing - Roll.



EUROSTOP SW 412 Swellable Water Bar

EuroStop SW 412 water swellable polymeric hydrophilic profile water-stop. High swell performance waterproof sealing material.



EUROBOND SBR 201

SBR Latex Additive/Bonding Agent

Waterproofing additives/Bonding agent for cementitious systems. EuroBond SBR 201 improves the durability, water permeability, abrasion resistance of mortar and adhesion strength.

Packing-4, 20 & 200 Ltr.





Damp Proof Course

EuroProof DPC 421 is heavy duty bituminous damp proof membrane. DPC provides a barrier to the passage of moisture or water from the ground water/moisture to the structure.

Packing-10 & 15 Mtr. Roll. Size = 1.5 & 3 mm.









EuroBond EPLV 215

Epoxy Based Crack Injection System

Epoxy Based Crack Injection system. EuroBond EPLV 215 is a permanent Crack Injection and Bonding System consisting of solvent free Epoxy Resin and Hardener. Available Packing-1 & 3 Ltr Kit.





EUROCRYL AR 914

Acrylic Crack Filler

Multipurpose acrylic crack filler for reinforced concrete structures, Plaster Walls, Floors, Gypsum walls & Ceilings. Available Packing-1 & 4 Kg.





EUROCURE WB 900

Concrete Curing Compound - Water Based

EuroCure WB 900 is water based curing compound with a daylight reflectance and high curing efficiency even in high temperature conditions.

Available Packing-20 & 200 Ltr.





EURORELEASE WB 912

Shutter Releasing Agent - Water Based

EuroRelease WB 912 is water based shutter/mould release agent applied on mould and shutter surfaces prior to casting concrete.

Available Packing- 20 & 200 Ltr.





EUROCOAT ZR 709

Anti Corrosive Zinc Rich Primer / Coating

Corrosion resistance protection coating for steel and reinforcement bars.

Available Packing-1 & 5 Ltr Kit.













Concrete Repair Mortar - Fibre Reinforced

EuroRepair FBR 710 is cementitious high strength Fibre Reinforced concrete repair mortar. Repairing of wide range of concrete and masonry. Recommended for concrete columns & beams. Packing- 25 kg bag.



EUROBUILO

EUROFIBRE PP 714

Polypropylene Fibre for Reinforced Concrete

Polypropylene Fibre for Reinforced Concrete is an embryonic construction material which can be described as a concrete having high mechanical strength, Stiffness and durability. Fibre is added to the concrete during batching. Packing-500/600g.



BACK-UP ROD 999

Polyethylene Foam Circular Rod

Back-Up Rod is closed cell polyethylene foam supplied in cord form for use as a back-up material for joint sealants. It is available in diameters from 6 mm to 50 mm. Packing: Roll



EUROREPAIR FC 702

Concrete Repair Fair Coat

EuroRepair FC is non-shrink, polymer modified fairing coat (0-3 mm) on concrete and masonry, especially in vertical and overhead locations. Recommended for pinholes & honeycombs, and also for finish surface repair works Packing: 20 Kg bag







Waterproofing

Powder Admixture

EUROFLOW P 71
Concrete Plastiziser
Admixture



EUROFLOW SP 72 Concrete Super Plastiziser Admixture



EUROCREETE IWP 74 Integral Water proofing Liquid Admixture













EUROFLEX PU 907 Polyurethane Expansion Joint Sealant

EuroFlex PU 907 is single component polyurethane permanent expansion joint sealant, which provide an excellent flexible and durable joint sealant for all substrates Color Grey/White.Packing-600 ml Tube

EUROFLEX PU 906 Polysulphide Expansion Joint Sealant · 2 part EuroFlex PLS 906 is a two component polysulphide sealant. EuroFlex PLS 906 can be supplied in two grades (Pouring and Gun grade).

HOLESETT AG 810

Polyester Resin Anchoring Grout

HoleSett AG is high strength corrosion resistant fast setting heavy duty anchoring grout.

Packing- 2 Kg kit. (Pouring Grade and Gun Grade)

HYDROSETT QS 706

Hydraulic Plugging Fast Setting Mortar

HydroSett 706 is hydraulic cement based, rapid setting mortar supplied in powder form. HydroSett 706 will stop water infiltration in less than a minute.

Packing- 10 Kg. bag

EUROCLEAN RC 904

Rust Remover For Reinforcement Bars & Metal

EuroClean RC 904 is a fast-acting and non-ionic surfactants cleaner that dissolves rust, stains and ingrained dirt on reinforcement bars & metal. Packing - 1 GAL, 20 Ltr.

EUROCLEAN TC 903

Tile & Grout Cleaning Compound

EuroClean TC 903 is a fast-acting, mild acid based cleaner that dissolves mortar, cement stains and ingrained dirt. Don't Pour Directly to finished surfaces. Packing- 4 litre and 20 litre

EUROBOARD PC 946

Polypropylene Corrugated Protection Board

EuroBoard PC Polypropylene Corrugated Protection Boards are especially puncture & injury resistant, rot and root proof. Packing-Sheet, Thickness-4 mm, 5 mm, 6mm



















Cementitious Waterproof - 2K System

Cementitious Acrylic Two Part Waterproofing system. Recommended for Toilets, Bathrooms, Kitchen Floor and wall, Color Grey & White.

Packing-20 Kg Kit. (50 kg powder + 5 Ltr Liquid)



FURORUUN



EUROTHANE HP 425

Hybrid Polyurethane Liquid Applied Waterproofing

Polyurethane Liquid Applied Waterproofing system. Recommended for Wet Areas: Toilets, Bathrooms, Roof, Water Tanks. Floor and Wall. Available in Grey/White.

Packing-4 & 20 Ltr Pail.





EUROSHIELD PU 411

Polyurethane Liquid Waterproofing-Exposed Areas

Exposed Areas Liquid Applied Waterproofing system. Specially formulated for Exposed Areas. Recommeded for Concrete/ Steel Roof and Concrete/Masonry walls Available in Grey and white.

Packing-4 & 20 Ltr Pail.





ROOFGUARD 100 - 406

Acrylic Elastomeric Waterproofing Compound

RoofGuard 100 is a specially formulated acrylic resin based elastomeric roof waterproofing compound which has an outstanding durability, UV resistant, resistance to weathering and very high degree of flexibility. RoofGuard 100 is applied either by brush, roller or spray.

Packing-4 & 20 Ltr Pail.





EUROBOND EP 205

Epoxy Resin Base Bond Kit

Two component solvent free epoxy resin base bond kit., Ideal for bonding, crack repairing and Patching.

Packing-1 & 3 kg kit.















STONESEAL 100

Marble/stone Stain Protection Sealer

StoneSeal 100 used as top marble surface sealer and will protect the surface from Water, mineral stains, carbonation, penetration of chlorides and this preventing moisture and chloride contamination.

Available Packing-1, 4 & 20 Ltr.



WALLGUARD SS 510

External Wall Protection Sealer

WallGuard SS 510 is a single component clear transparent liquid, specially formulated for surface protective treatment of concreate masonry and plaster walls.

Available Packing- 4 & 20 Ltr.



GroutShield GS 519

Grout Protection Sealer

GroutShield GS 519 Penetrative and Impregnating Water Based Sealer is a single component clear, transparent liquid, specially formulated surface penetrative protective treatment for cementitious grouting.

Packing - 1 GAL



EUROSHIELD WS 511

Surface Protective Wet Sheen Coating

EuroShield WS 511 single component protective and wet sheen coating for concrete, masonry, bricks, wood, slates, roof tiles, marble, & natural stones. The properties of the constituents added impart a wet sheen look to the applied substrate.

Packing – 1 GAL



MARBLEX K 11 - 611

Marble/Granite Installation Adhesive

Cementitious Polymer Rich High Build Adhesive for Marble/Granite. Recommended for Floor and Wall, Wet and non wet areas. Available in Grey/White.

Packing-25 Kg.







CERAMIX 2000

General Purposes Tile Adhesive

General Purpose Cementitious Ceramic Tile Adhesive. Recommended for non wet areas.

Available in Grey/White, Packing 20 Kg.





FLOORBOND FA 660

Cementitious Floor Tile Adhesive.

Cementitious Ceramic Tile Adhesive. Recommended for floor adhesive.

Packing- 20 Kg & 25 Kg.





EUROMIX 100

Ceramic Tile Adhesive

Cementitious Ceramic Tile Adhesive. Recommended for floor and Wall adhesive.

Packing-20 Kg





EUROTILE WPA 680

Waterproof Tile Adhesive

EuroTife WPA 680 is a Latex modified cementitious flexible waterproof adhesive used for permanent fixing of porcelain tiles, Marble, Mosaics and Natural stone for interior and exterior applications especially in permanent wet areas or submerged conditions. Available in Grey/White.

Packing - 20 Kg & 25 Kg





EUROMIX PTA 601

Premixed Organic Adhesive

Premixed water resistant acrylic organic adhesive for thin bed fixing of ceramic and polystyrene tiles to most internal surfaces. Recommended to use for internal ceramic tiles, mosaic tiles and glass mosaics installation, for floor and wall areas, wet and non-wet areas, Acrylic adhesive compound for fixing polystyrene tiles. Available in White color Packing-20 Kg. Pail







EUROTILE WR 602

Water Resistant Latex Modified Tile Adhesive

Latex modified cementitious waterproof adhesive used for permanent fixing of porcelain tiles, Marble, Mosaics and Natural stone for interior and exterior applications especially in permanent wet areas or submerged conditions. EuroTile WR 602 meets the classifications requirements C2TE S1 According to EN 12004. Available in Grey/White. Packing-20 & 25 Kg.





EUROTILE TT 604

Cementitious Tile on Tile Adhesive

EuroTile TT 604 premium grade high bond strength and high slip resistance adhesive for installation of tiles/stones over existing smooth finishes. Ideal for tiling over existing tiles.

Available In Grey and White, Packing-25 Kg.





EUROGROUT GP 800

Cementitious Tiles Joint Grout

Cementitious Joint Filler/Grout for Ceramic Tiles, Vitrified and Marble/Granite. Recommended for Floor and Wall, non wet areas

Available in 80 colors, Packing-1, 2,5 & 10 Kg.





EUROGROUT LM 801

Cementitious Water Resistant latex modified Tile Joint Grout

Cementitious Polymer Base Joint Filler/Grout for Ceramic Tiles, Vitrified Tiles and Marble/Granite. Recommended for Internal, Floor and Wall, Wet and non wet areas.

Available in 80 colors, Packing-1, 2,5 & 10 Kg.






Epoxy Base Germ Proof Stainless Joint Filler

Epoxy Resin Base Germ and stain proof tile joint Filler/Grout for Ceramic Tiles, Vitrified and Marble/Granite, Recommended for Internal, Floor and Wall, Wet and non wet areas.

Packing-1,3 & 5 Kg Kit









EUROMESH WP 935

Fibreglass Reinforcing Mesh

EuroMesh is used for plaster, EIFS and waterproofing reinforcement.
Color White/Yellow/Blue
Packing-50 mtr Roll.





EUROTEX 953

Water Proofing Reinforcement Fabric

EuroTex 953 is a Perforated Fabric Designed For Reinforcing Waterproofing Systems, Eurotex 953 Increases Dimensional Stability, Elongation and Tensile Strength, and Improves Crack-bridging capabilities To 2 mm. Recommend For Reinforcing Application For Wet Areas Waterproofing. Packing: Roll





EUROPRIMER CP-1 928 - Interior PVA Wall Primer

EuroPrimer CP- I is a polyvinyl acetate, single component polymerised resin emulsion. Eco friendly, VOC free. Packing-4 & 20 Ltr



EuroPrimer CP-E is a single component pure acrylic resin emulsion. Packing-4 & 20 Ltr





EUROFILLER 978

All Purpose Crack Repair

EuroFiller 978 will provide a smooth finish for a permanent repair to plaster, brick, stone and most building materials. Strong Bond resists cracking flaking and is easy to sand flat Packing - 1,2 & Kg.





EUROPLAST 950

Ready to Use Premixed Plaster

EuroPlast RP 950 is a premium grade polymer modified cementitious premixed plaster. Packing-20 & 50 Kg Bag.













EUROFIX CT 826

Anchoring & Doweling Epoxy Anchor Cartridge

EuroFix CT 826 used for Permanent fixing of reinforced bars, Anchoring grout for bolts, Handrails, Metal Frames, Dock Sills, Formed holes, located in concrete, brick works, masonry and natural rock, Recommends for horizontal, vertical & overhead applications.

Packing - Catridge



Carpet Bond Adhesive

Specialty water dispersion adhesive compound for bonding for the following:-Carpet, Carpet tiles, Textile and latex-foam back, Linoleum sheet and tiles, Acoustic underlay cork and rubber sheet, PUR foam/cork sheet Homogeneous vinyl sheet and tile.

Packing - 10Kg



EUROBOND WPA 666

Wall Paper Bond Adhesive

Premixed synthetic resin based wall paper adhesive. Specially formulated for use with nonwoven and vinyl backed wall papers

Packing-15Kg Pail



EUROBOND GY 222

Gypsum Compound

EuroBond GY 222 is a multi-purpose joint filler, made of high quality binders and selected non-toxic fillers.

Packing - 20 kg Pail



EUROFINISH XP 955

Stucco Filler/ Putty

Acrylic Resin Based Water Resistant Wall Putty EUROFINISH XP 955 is a premium grade acrylic modified mineral base premixed wall putty

Packing - 18 kg Pail







EUROCREETE SLL 308 - Cementitious Self Levelling Underlay EUROBOND SL - 207- Self Levelling Primer

EuroCreete SLL 308 is a Cementitious Self levelling underlay used for levelling of floors before applying any modern flooring system.

Packing - 25 kg bag. (EuroCreete SLL 308 Packing - Gal (EuroBond SL - 207)





EUROGROUT FG 804

Non Shrink Grout

EuroGrout FG 804 Shrinkage compensated high strength free flowing cementitious precision grout.

Packing-25 Kg Bag.





EUROCOAT RC 2000 - 920- Plaster Rush Coat

EUROCOAT RC 2000 Mortar is a premium grade polymer modified cementitious premixed mortar for key coat application to concrete walls, masonry, concrete blocks and ALC blocks. Suitable for interior and external applications. Packing-25 & 50 Kg Bag.



EUROCOAT RC K11 Mortar is a premium grade polymer modified cementitious premixed mortar for key coat application to concrete surfaces. Suitable for interior and external applications, Packing-25 & 50 Bag.





EUROPATCH 7000

Cement Based Polymer Modified Wall Care Putty

EUROPATCH 7000 is a premium grade polymer modified cement based wall putty.

Packing - 20 & 40 Kg bag.





LIGHTCREETE 911 - ALC Block Installation Mortar BLOCKCREETE 919 - Ordinary Cement Block Laying Mortar

LightCreete 911 mortar is a premium grade polymer modified cementitious premixed mortar for aerated lightweight block installation. BlockCreete 919 mortar is a premium grade polymer modified cementitious premixed mortar for ordinary block installation. Packing - 50 Kg Bag















EUROFLOOR PU 330 Polyurethane High Performance Floor Coat EUROPRIME PUC 233 Polyurethane Primer

EuroFloor PU 330 nontoxic high build two pack polyurethane coating/waterproofing for concrete EuroFloor PU 330 forms a hard wearing and abrasion resistant UV resistant floor finishes for wide range of applications. Available in Limited Colour/Semi Gloss, Packing 5 & 20 Litre Kit Part A (Base) & Part B (Hardener)



EUROCOAT NTC 331 Epoxy Resin Base Non Toxic Finish Coating

EuroCoat NTC 331 nontoxic anti-bacterial high builds solvent free epoxy coating for hygiene floor finishes. EuroCoat NTC 331 forms a hard wearing and chemicals resistant smooth finishes for internal concrete floor/wall areas, Potable drinking water tanks internal protective coating, Concrete tanks internal coatings, Dairles and meet processing units, Food processing plants. Packing: 20 Ltr Kit.



EUROTOP CH 300

Mineral Based Concrete Floor Hardener

EuroTop CH 300 is a pre-mixed surface hardener containing hydraulic binder and abrasion resistant synthetic aggregates. EuroTop CH 300 provides a highly abrasion resistant surface to fresh concrete floors.

Available Packing- 25 kg bag.



EUROTOP FC 307 Epoxy Resin High Performance Floor Coat EUROPRIME EFC 209 Epoxy Bonding Primer

Eurotop FC 307 epoxy coating for concrete. Eurotop FC 307 forms a hard wearing and abrasion resistant floor finishes for wide range of flooring applications. Available Packing- 5 & 20 Kg Kit.



EUROTOP EPH 711-Epoxy Base End Capsulation Grout EUROCREETE PL 707-Cementerios pile head repair mortar

EuroTop EPH 711 is a three component high strength free flowing Epoxy Grout. Solvent free non shrink and stainless epoxy grout specifically for wide variety of Industrial applications, Packing 15 Ltr/Kit (EuroTop EPH 711)
Packing 25 Kg Bag (EuroCREETE PL 707)



EUROBUILD





EUROBUILD

CONSTRUCTION SPECIALITY PRODUCTS

EUROBUILD CHEMICALS-UAE

POST BOX: 7398 | UAQ-UAE Tel.: 00971 6 767 1425 Fax.: 00971 6 767 1426 Meb No: 0097 152 2970568

Reg. Office - Dubai

Tel: 00971 4 239 1520 Fax: 00971 4 239 1521

info@eurobuild.ae

EUROBUILD -INDIA

Coimbatore - Tamil Nadu Tel.: 0091 9072345610 Tel.: 0091 9585213547

JK SPECIALITIES - KERALA

Tei.: 0091 9946109267/68 E-mail-info@eurobuildindia.com www.eurobuildindia.com

www.eurobuild.ae



SUDAN

















EUROBUILD-KENYA

Tel +254 798985674

www.eurobuild.ae

E-mail-info@eurobuild.ae

Nairobi, Kenya